


SYM	REVISION	BY	DATE	ECN
A	ENGINEERING RELEASE	RAF	12/12/96	M16552
В	104.1 [4.10] MAX COUPLING LENGTH WAS 51.9 [2.04] MAX COUPLING LENGTH	AGJ	8-20-03	44496
С		AGJ	5-17-04	47918
	-I)MOUNTING TYPE WAS VFVV -2)OUTPUT SHAFT WAS VZZVV	SSD	1-24-07	0002527



	UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN	DRAWING BASED ON ANSI Y14.5M-1982				
	INCHES IN	THE REPRODUCTION, DISTRIBUTION, AND UTILIZATION OF THIS DOCUMENT, AS WELL AS THE COMMUNICATION OF ITS CONTENTS TO OTHERS WITHOUT EXPLICIT AUTHORIZATION IS PROHIBITED. OFFENDERS WILL BE HELD LIABLE FOR THE PAYMENT OF DAMAGES. ALL RIGHTS RESERVED IN THE EVENT OF THE GRANT OF A PATENT, UTILITY MODEL, OR DESIGN. (PER ISO 16016)				
	. XX	DRAWN BY/DATE RAF 1-30-97 MATERIAL/HEAT TREAT				
		CHECKED SDR 2-12-97 BY/DATE SDR 2-12-97				
	UNSPECIFIED RADII ARE	ENGRG BY/DATE VJD 2-12-97 TITLE 4000 SERIES MOTOR				
		METALLURGY SHAFT INSTALLATION BY/DATE				
	UNSPECIFIED DRAFT ANGLES ARE ————	MICROINCHES NUMBER MICROINCHES NUMBER [MICROINCHES] / A - 6 0 - 0 9				
	DRAWING FORMAT CADD X MANUAL	DO NOT SCALE ARITHMETICAL AVERAGE SCALE 1/1 SHEET OF				